

## IVA Research Bibliography

- Angelakis, E., & Lubar, J.F. (2001). The Role of Peak Alpha Frequency in Reading. Presented at the 32nd Annual Conference of Association for Applied Psychophysiology and Biofeedback, Raleigh-Durham, NC.
- Baerwald, J. P. & Tryon, W.W. (1999). Response control and Attention Differentials in Patients with Schizophrenia and Bipolar Disorder. Presented at the APA Convention, Boston, MA.
- Baerwald, J.P., Tryon, W.W. & Sandford, J. (2001). Modal Attention Asymmetry in Patients with Schizophrenia, Bipolar Disorder, as Compared to Normal Controls. *Neuropsychology, 15*(4), 535-543.
- Bender, S.D. & Rogers, R. (2004). Detection of neurocognitive feigning: development of a multi-strategy assessment. *Archives of Clinical Neuropsychology, 19*, 49-60.
- Braaten, A. (2001). The Relationship Between Performance on a Continuous Performance Task, Grade Point Average, and Self-Report Scales of Cognitive and Neurological Functioning. *Journal of Neurotherapy, 4* (4), 79.
- Braytenbah, A.S. & Harrison J. (1996). The Relationship of Attention and Response Control to Academic Performance. Presented at the C.H.A.D.D. Convention, Chicago, IL. Retrieved 10/20/03 from <http://www.braintrain.com>.
- Dumont, R., Tambora, A., & Stone, B. (1995). Continuous Performance Tests: The TOVA, Conners CPT, and IVA. *NASP Communique, 24, 3*, 22-24.
- Edwards, G. (1998). Determining the Role of a New Continuous Performance Test in the Diagnostic Evaluation of ADHD. *The ADHD Report, 6*(3), 11-13.
- Erdal, K. (2004). The effects of motivation, coaching, and knowledge of neuropsychology on the simulated malingering of head injury. *Archives of Clinical Neuropsychology, 19*, 73-88.
- Eslinger, P.J. (2002). Neuropsychological Interventions: Clinical Practice and Research. Book Review by Thomas L. Bennett.. New York: Guilford Press.
- Golden, C., Espe-Pfeiffer, P., & Wachsler-Ferder, J. (2003). Neuropsychological Interpretations of Objective Psychological Tests (Book Review).
- Gordon, M. (1993). Do computerized measures of attention have a legitimate role in ADHD evaluations? *ADHD Report, 1*(6), 5-6.

- Hagelthorn, K.M., Hiemenz, J.R., Pillion, J.P. & Mahone, E.M. (2003). Age and Task Parameters in Continuous Performance Tests for Preschoolers. *Perceptual and Motor Skills*, 96, 975-989.
- Harding, K.L. (1999). An Alternative Treatment for Children with Attention Deficit/Hyperactivity Disorder: An Exploratory Analysis.
- Harding, K.L., Judah, R.D., & Gant, C.E. (2003). Outcome-based comparison of Ritalin versus food-supplement treated children with AD/HD. *Alternative Medicine Review*, 8 (3), 319-330.
- Kane, H. & Whiston, S.C. (2001). Review of the IVA Continuous Performance Test. *Buros Fourteenth Mental Measurements Yearbook*, 592-595.
- Lowther, J. L. & Mayfield, J. (2004). Memory functioning in children with traumatic brain injuries: a TOMAL validity study. *Archives of Clinical Neuropsychology* (19), 105-118.
- Mahone, E.M., Pillion, J. & Hiemenz, J.R. (2001). Initial development of an auditory continuous performance test for preschoolers. *Journal of Attention Disorders*, 5, 25-38.
- Miller, L., West, S. & Smolensky, M. Assessment of Body Activity of Attention Deficit Hyperactivity Disordered (ADHD) Children by Actigraphy: A Case Series. Hermann Center for Chronobiology & Chronotherapeutics, Houston, TX. VIII-6.
- Monastra et al. (2001). The Development of a Quantitative Electroencephalographic Scanning Process for ADHD: Reliability and Validity Studies. *Neuropsychology*, 15, 136-144. As reviewed by Rabinier, D. (2001) in New Support for the Use of QEEG Scanning in Diagnosing ADHD. *Attention Research Update*, 42. Retrieved 01/28/2003. from [www.helpforadd.com/2001/april.htm](http://www.helpforadd.com/2001/april.htm).
- Moore, B.A., Donders, J., & Thompson, E.H. (2004). Validity of the Children's Category Test-Level 1 after pediatric traumatic brain injury, *Archives of Clinical Neuropsychology*, 19, 1-9.
- Nussbaum, D. & Jacobs, H. (1996). Computerized Neuropsychological Screening of Patients Referred for Pain Using MicroCog™ and IVA. Presented at the Canadian Psychological Convention. Abstract published in *Canadian Psychology*.
- Nussbaum, D. (2000). The METFORS Fitness Questionnaire: A Self-Report Measure for Screening Competency to Stand Trial. Presented at the XXVII International Congress of Psychology, Stockholm, Sweden. Canadian Psychological Association, Ottawa, Ontario.
- O'Laughlin, E.M., & Murphy, M.J. (2000). Use of Computerized Continuous Performance Tasks for Assessment of ADHD: A Guide for Practitioners. *Independent Practitioner*.

- Pastyrnak, S.L., Montgomery, M.S., Last, C. & Burns, W. (1997). Symptom Differences Between Children Diagnosed with an Attention Deficit Disorder and those Diagnosed with an Anxiety Disorder. Presented at the C.H.A.D.D. Conference, San Antonio, TX.
- Quinn, C.A. (2002). Detection of malingering in assessment of adult ADHD. *Archives of Clinical Neuropsychology*, 580, 1-17.
- Rasey, H. W., Lubar, J. F., McIntyre, A. & Zoffuto, A.C. (1996). EEG Biofeedback for the Enhancement of Attentional Processing in Normal College Students. *Journal of Neurotherapy*, 1(3), 15-21.
- Riccio, C.A., Cecil, R.R., Lowe, P.A. (2001). Clinical Applications of Continuous Performance Tests: Measuring Attention and Impulsive Responding in Children and Adults. New York: John Wiley & Sons, Inc.
- Rivas-Vasquez, R.A., Mendez, C. Rey, G.J., & Carrazana, E.J. (2004). Mild cognitive impairment: new neuropsychological and pharmacological target. *Archives of Clinical Neuropsychology*, 19, 11-27.
- Rosen, L.D. (1995). Three ADHD Tests Prove Computerized Technology Vital Tool for Clinicians. *The National Psychologist*. Retrieved 06/21/2002 from [www.technostress.com/tnp6.html](http://www.technostress.com/tnp6.html).
- Royan, J. Tombaugh, T. N., Rees, L., & Francis, M. (2004). The Adjusting-Paced Serial Addition Test (Adjusting-PSAT): thresholds for speed of information processing as a function of stimulus modality and problem complexity. *Archives of Clinical Neuropsychology* (19), 131-143.
- Ryan, C., Srokowski, S., Nolte, C. & Lehman, E.B. (2000). Visual Attention: Comparison of the NEPSY and Gordon CPT. Presented at the 108<sup>th</sup> Annual APA Convention, Washington, DC.
- Sandford, J.A. Utilizing the IVA CPT in Measuring the Effectiveness of Medication Treatment of ADHD. Retrieved 10/20/2003 from <http://www.braintrain.com>.
- Sandford, J.A., Fine, A.H. & Goldman, L. (1995). A Comparison of Auditory and Visual Processing in Children with ADHD using the IVA Continuous Performance Test. Presented at the Annual Convention of CH.A.D.D., Washington, DC.
- Sandford, J.A., Fine, A.H. & Goldman, L. (1995). Validity Study of IVA: A Visual and Auditory CPT. Presented at the Annual Convention of the American Psychological Association, New York, NY.

- Sandford, S.E. (2001). The Effect of Music on Attention. *Journal of Neurotherapy*, 4 (4), 96-97.
- Seckler, P., Burns, W., Montgomery, D. & Sandford, J.A. (1995). A Reliability Study of IVA: Integrated Visual and Auditory Continuous Performance Test. Presented at the Annual Convention of CH.A.D.D., Washington, DC.
- Sherrill, R. Can a “Mind Enhancing” Herb Really Improve Attention? (Pre-publication)
- Sherrill, R. Malingering and Sustained Attention. (2000). Presented at SNR conference, St. Paul, MN. Abstract published in the *Journal of Neurotherapy*, 4(4), 96.
- Stanford, S., Sandford, J., Helvie, C.O., Royal-Stanford, C. & McLaughlin, S. (1999). Attention Deficit Hyperactivity Disorder Among the Homeless. Presented at A.P.H.A. Conference, Chicago, IL.
- Storandt, M. & Beaudreau, S. (2004). Do reaction time measures enhance diagnosis of early-stage dementia of the Alzheimer type? *Archives of Clinical Neuropsychology* (19), 119-124.
- Teicher, M.H., Yutaka, I., Glod, C.A. & Barber, N.I. (1996). Objective Measurement of Hyperactivity and Attentional Problems in ADHD. *Journal of American Child Adolescent Psychiatry*, 35 (3), 334-342.
- Tinius, T.P. (2001). The Intermediate Visual and Auditory Continuous Performance Test as a neuropsychological measure. *Archives of Clinical Neuropsychology*, 18, 199-214.
- Turner, A. & Sandford, J.A. (1995). A Normative Study of IVA: Integrated Visual and Auditory Continuous Performance Test. Presented at the Annual Convention of the American Psychological Association, New York, NY.
- Turner, A. & Sandford, J.A. (1995). Developmental Age and Sex Differences in Auditory and Visual Processing using the IVA Continuous Performance Test. Presented at the Annual Convention of CH.A.D.D., Washington, DC.
- Vickery, C.D., Berry, D.T.R., Dearth, C.S., Vagnini, V.L., Baser, R.E., Cragar, D.E., & Orey, S.A. (2002). Head injury and the ability to feign neuropsychological deficits. *Archives of Clinical Neuropsychology*, 19, 1, 37-48.
- White, J.N., Lubar, J.F. & Hutchens, T.A. (2001). Neuropsychological and QEEG Assessment of Adult ADHD, Presented at AAPB Conference, Raleigh-Durham, NC.



## Cognitive Training Research Bibliography

- Ball, K., Berch, D.B., Helmers, K.F., Jobe, J.B., Leveck, M.D., Marsiske, M. et al. (2002). Effects of Cognitive Training Interventions with Older Adults, A Randomized Controlled Trial. *The Journal of the American Medical Association*, 288 (13), 2271-2281. Retrieved 7/25/2003 from <http://jama.ama-assn.org/cgi/content/short/288/18/2271>.
- Bell, M., Bryson, G., Greig, T., Corcoran, C. & Wexler, B.E. (2001). Neurocognitive Enhancement Therapy with Work Therapy, Effects on Neuropsychological Test Performance. *Archives of General Psychiatry*, 58 (8), 763-768.
- Bellucci, D.M., Glaberman, K. & Haslam, N. (2001). Computer-assisted cognitive rehabilitation reduces negative symptoms in the severely mentally ill. *Schizophrenia Research*, 59, 225-232.
- Bennett, D.A., Wilson, R.S., Schneider, J.A., Evans, D.A., Mendes de Leon, C.F., Arnold, S.E., et al. (2003). Education modifies the relation of AD pathology to level of cognitive function in older persons. *Neurology*, 60 (12), 1909-1915. Retrieved 07/25/2003 from Ovid Technologies, Inc., <http://www.ovid.com>.
- Berrol, S. (1990). Issues in cognitive rehabilitation. *Archives of Neurology*, 47, 219-220.
- Bracy, O.L., Oakes, A.L., Cooper, R.S., Watkins, D., Watkins, M., Brown, D.E., & Jewell, C. (1999). The Effects of Cognitive Rehabilitation Therapy Techniques for Enhancing the Cognitive/Intellectual Functioning of Seventh and Eighth Grade Children. (1999). *Cognitive Technology*, 4 (1), 19-27.
- Burda, P.C., Starkey, T.W. & Dominguez, F. (1991). Computer Administered Treatment of Psychiatric Inpatients. *Computers in Human Behavior*, 7, 1-5.
- Burda, P.C., Starkey, T.W., Dominguez, F. & Vera, V. (1994). Computer-Assisted Cognitive Rehabilitation of Chronic Psychiatric Inpatients. *Computers in Human Behavior*, 10 (3), 359-368.
- Carney, N., Chesnut, R.M., Maynard, H., Mann, N.C., Patterson, P. & Helfand, M. (1999). Effect of cognitive rehabilitation on outcomes for persons with traumatic brain injury: A systematic review. *Journal of Head Trauma Rehabilitation*, 14 (3), 277-307. Retrieved 02/04/2003 from <http://www.ncbi.nlm.nih.gov/PubMed/>
- Cicerone, K.D., Dahlberg, C., Kalmar, K., Langenbahn, D.M., Malec, J.F., Bergquist, T.F. et al. (2000). Evidence-Based Cognitive Rehabilitation: Recommendations for Clinical Practice. *Archives of Physical Medicine and Rehabilitation*, 81, 1596-1615.

Chen, S., Thomas, J., Glueckauf, R. & Bracy, O. (1997). The effectiveness of computer-assisted cognitive rehabilitation for persons with traumatic brain injury. *Brain Injury, 11 (3)*, 197-209.

Clinical Policy Bulletins, Number: 0214, Subject: Cognitive Rehabilitation. (2003). Retrieved 10/16/2003 from <http://www.aetna.com/cpb/data/CPBA0214.html>.

Clinical Study Shows Nine Point Boost In IQ & Significantly Enhanced Cognitive Speed Among Regular Users of MyBrainTrainer.com, New Research Suggests Site May Also Reduce Stress & Anxiety. Retrieved 07/25/2003 from <http://www.mybraintrainer.com/press/>

Cognitive help for schizophrenics. (1992). *Science News, 141*, 239.

Delahunty, A., Morice, R., Frost, B. & Lambert, F. (1991). Neurocognitive Rehabilitation in Schizophrenia Eight Years Post Head Injury: A Case Study. *Cognitive Rehabilitation*, p. 24-28.

Dirette, D. (2002). The Use of Cognitive Strategies by Adults With Acquired Brain Injuries: Results of a Two-year Post-treatment Survey. *The Journal of Cognitive Rehabilitation*, 20(4), 6-10.

Douglas, V.I., Parry, P., Marton, P. & Garson, C. (1976). Assessment of a Cognitive Training Program for Hyperactive Children. *Journal of Abnormal Child Psychology, 4 (4)*, 389-411.

Drab, K.M. (1993). The Effects of Differing Training Frequencies on Acquisition of Attention Skills Using the Captain's Log Cognitive Training Software. p.1-88.

Effectiveness of Rehabilitation for Cognitive Deficits Conference in Cardiff, UK. (2002). Retrieved from <http://www.cf.ac.uk/psych/ercd/intro/index.html>.

Engelberts, N.H., Klein, M., Ader, H.J., Heimans, J.J., Trenite, D.G. & van der Ploeg, H.M. (2002). The effectiveness of cognitive rehabilitation for attention deficits in focal seizures: a randomized controlled study. *Epilepsia, 43 (6)*, 587-595. Retrieved 10/02/2003 from <http://www.ncbi.nlm.nih.gov/PubMed/>

Ethier, M., Baribeau, J. & Braun, C. (1989). Computer-dispensed cognitive-perceptual training of closed head injury patients after spontaneous recovery. Study 2: non-speeded tasks. *Canadian Journal of Rehabilitation, 3 (1)*, 7-16.

Ethier, M., Braun, C. & Baribeau, J. (1989). Computer-dispensed cognitive-perceptual training of closed head injury patients after spontaneous recovery. Study 1: speeded tasks. *Canadian Journal of Rehabilitation, 2 (4)*, 223-233.

- Fine, A.H., Goldman, L. & Sandford, J.A. (1994). Innovative Techniques in the Treatment of ADHD: An analysis of the impact of EEG biofeedback training and a cognitive computer generated training. Presented at the American Psychological Association Annual Convention, Los Angeles, CA.
- Finlayson, M., Alfano, D. & Sullivan, J. (1987). A neuropsychological approach to cognitive remediation: Microcomputer applications. *Canadian Psychology*, 28 (2), 180-190.
- Fries, P., Fernandez, G., & Jensen, O. (2003). When neurons form memories. *Trends in Neuroscience*, 26(3), 123-124.
- Gee, J.P. (2003). What Video Games Have to Teach Us About Learning and Literacy. New York: Palgrave Macmillan.
- Giaquinto, S. & Fiori, M. (1992). THINKable, A Computerized Cognitive Remediation, First Results. *Estratto da Acta Neurologica*, 14, 547-560.
- Green, C.S. & Bavelier, D. (2003). Action video game modifies visual selective attention. *Nature*, 423, 534-537.
- Hooker, C., Lowe, L., Calub, C.D., Todd, M. & Cook, C. (1987). Efficacy of Computer-Assisted Cognitive Rehabilitation: A Pilot Study. Presented at the Cognitive Rehabilitation: Community Reintegration through Scientifically Based Practice Conference, Williamsburg, VA.
- Katz, R.C. & Hallowell, B. (1999). Technological Applications in the Treatment of Acquired Neurogenic Communication and Swallowing Disorders in Adults. *Seminars in Speech & Language*, 20 (3), 1-33.
- Kotwal, D.B., Burns, W.J. & Montgomery, D.D. (1996). Computer-Assisted Cognitive Training for ADHD, A Case Study. *Behavior Modification*, 20 (1), 85-96.
- Laatsch, L. (1996). Benefits of integrating cognitive rehabilitation and psychotherapy in treatment of clients with neuropsychological impairments. *Journal of Cognitive Rehabilitation*, 14 (2), 18-22.
- Laatsch, L., Jobe, T., Sychra, J. Lin, Q. & Blend, M. (1997). Impact of cognitive rehabilitation therapy on neuropsychological impairments as measured by brain perfusion SPECT: a longitudinal study. *Brain Injury*, 11 (12), 851-863.
- Medalia, A., Revheim, N. & Casey, M. (2002). Remediation of problem-solving skills in schizophrenia: evidence of a persistent effect. *Schizophrenia Research*, 57, 165-171.

- Mills, V., Nesbeda, R., Katz, D. & Alexander, M. (1992). Outcomes for traumatically brain-injured patients following post-acute rehabilitation programmes. *Brain Injury*, 6 (3), 219-228.
- Nader, K. Memory traces unbound. *Trends in Neuroscience*, 26(2), 65-72.
- Noir, M., Croisile, B. & Tarpin-Bernard, F. (1999). Happy Neuron. Retrieved 03/13/2003 from <http://www.happyneuron.com>
- O'Bryant-Galarza, K., Fulmer, J., Burns, W.J. & Montgomery, D. (1999). Cognitive Training and Seriously Emotionally Disturbed Children. Presented at the American Psychological Association annual meeting, Boston, MA.
- Pilarc, M. (2000). Use of PSS CogRehab to Treat Psychiatric Inpatients Diagnosed with Chronic Schizophrenia. *The Journal of Cognitive Rehabilitation*, p.8-10.
- Pilcher, H.R. (2003). Video games boost visual skills. Retrieved 06/02/2003 from <http://www.nature.com/nsu/030527/030527-5.html>
- Plaut, D.C. (1996). Relearning after damage in connectionist networks: toward a theory of rehabilitation. *Brain and Language*, 52, 25-82.
- Podd, M.H. & Seelig, D.P. (1992). Computer-Assisted Cognitive Remediation of Attention Disorders following Mild Closed Head Injuries. In C.J. Long & L.K. Ross (Ed.), *Handbook of Head Trauma: Acute Care to Recovery*. New York: Plenum Press. Retrieved 09/08/2001 from <http://www.neurx.com/article1.html>
- Rabiner, D. (2003). The Role of Neurofeedback in the Treatment of ADHD. *Attention Research Update*, 73.
- Robertson, I., Gray, J. & McKenzie, S. (1988). Microcomputer-based cognitive rehabilitation of visual neglect: three multiple-baseline single-case studies. *Brain Injury*, 2 (2), 151-163.
- Rehabilitation of Persons with Traumatic Brain Injury. NIH Consensus Statement 1998 Oct 26-28; 16(1): 1-41.
- Roenker, D. & Ball, K. (2001). Cognitive Processing Speed is Best Way to Assess Risk Factors in Older Drivers and Can Improve Ability, Says New Study; Current Measures Of Visual Processes Found Not To Be Good Predictors Of Driving Impairment. Retrieved 07/25/2003 from <http://www.apa.org/releases/olderdrivers.html>.
- Ruff, R., Mahaffey, R., Engel, J., Farrow, C., Cox, D. & Karzmark, P. (1994). Efficacy study of THINKable in the attention and memory retraining of traumatically head-injured patients. *Brain Injury*, 8 (1), 3-14.

- Sandford, J.A. (1994). An Analysis of Computerized Cognitive Training and Neurofeedback in the Treatment of ADHD. Retrieved 10/20/2003 from <http://www.braintrain.com>.
- Sandford, J.A. (1996). New approach enhances time-honored ADHD treatment methods. *BrainTrain Bugle*, pp.1-2. Retrieved 10/20/2003 from <http://www.braintrain.com>.
- Sbordone, R. (1986). Does computer assisted cognitive rehabilitation work? A case study. *Psychotherapy in Private Practice*, 4 (4), 51-61.
- Slate, S.E., Meyer, T.L., Burns, W.J. & Montgomery, D.D. (1998). Computerized Cognitive Training for Severely Emotionally Disturbed Children With ADHD. *Behavior Modification*, 22 (3), 415-437.
- Stathopoulou, S. & Lubar, J.F. (2001). EEG Changes on TBI Patients with Attention Deficits After Implementation of Cognitive Rehabilitation Using a Computerized Program for Attentional Skills. *Journal of Neurotherapy*, pp. 99-100.
- Steinhardt, M., Montgomery, D. & Burns, W. (1995). Treatment responses to cognitive rehabilitation by cases of Bitemporal Lobectomy and Anoxic Encephalopathy. Presented at the Fifteenth Annual Meeting, National Academy of Neuropsychology, San Francisco, CA.
- Stiles, J. (2000). Neural Plasticity and Cognitive Development. *Developmental Neuropsychology*, 18(2), 237-272.
- Story, T. & Sbordone, R. (1988). The use of microcomputers in the treatment of cognitive-communicative impairments. *Journal of Head Trauma Rehabilitation*, 3(2), 45-54.
- Tebarth, H., Mohamad, Y. & Pieper, M. (2000). Cognitive Training by Animated Pedagogical Agents (TAPA) Development of a Tele-Medical System for Memory Improvement in Children with Epilepsy. Presented at the 6<sup>th</sup> ERCIM Workshop "User Interfaces for All," Florence, Italy.
- Thwaites, B. (2002). Brain Growth. Brian Thwaites-Brain Trainer. Retrieved 07/25/2003 from [http://www.brainspeaker.com/book\\_sample.html](http://www.brainspeaker.com/book_sample.html).
- Tinius, T.P. & Tinius, K.A. (2000). Changes After EEG Biofeedback and Cognitive Retraining in Adults with Mild Traumatic Brain Injury and Attention Deficit Hyperactivity Disorder. *Journal of Neurotherapy*, 4(2), 27-44.
- Ugurbil, K., Toth, L., & Kim, D.S. (2003). How accurate is magnetic resonance imaging of brain function? *Trends in Neuroscience*, 26(2), 108-114.

- Vernon, D., Egner, T., Cooper, N., Compton, T., Neilands, C., Sheri, A. & Gruzelier, J. (2002). The effect of training distinct neurofeedback protocols on aspects of cognitive performance. *International Journal of Psychophysiology*, 47, 75-85.
- Wedlake, M. (2002). Cognitive Remediation Therapy for Undergraduates with ADHD. *The ADHD Report*, 10(5), 11-13.
- Wilson, R.S., Barnes, L.L. & Bennett, D.A. (2003). Assessment of Lifetime Participation in Cognitively Stimulating Activities. *Journal of Clinical and Experimental Neuropsychology*, 25(5), 634-642.
- Wilson, R.S. & Bennett, D.A. (2003). Cognitive Activity and Risk of Alzheimer's Disease. *American Psychological Society*, 12(3), 87-91.
- Wilson, R.S., Bennett, D.A., Beckett, L.A., Morris, M.C., Gilley, D.W., Bienias, J.L., Scherr, P.A. & Evans, D.A. (1999). Cognitive Activity in Older Persons From a Geographically Defined Population. *Journal of Gerontology*, 54B(3), 155-160.
- Wilson, R.S., Bennett, D.A., Bienias, J.L., Aggarwal, N.T., Mendes de Leon, C.F., Morris, M.C., Schneider, J.A & Evans, D.A. (2002). Cognitive activity and incident AD in a population-based sample of older persons. *Neurology*, 59, 1910-1914.
- Wilson, R.S., Bennett, D.A., Bienias, J.L., Mendes de Leon, C.F., Morris, M.C. & Evans, D.A. (2003). Cognitive activity and cognitive decline in a biracial community population. *Neurology*, 61, 812-816.
- Wilson, R.S., Bennett, D.A., Gilley, D.W., Beckett, L.A., Barnes, L.L. & Evans, D.A. (2000). Premorbid Reading Activity and Patterns of Cognitive Decline in Alzheimer Disease. *Archives of Neurology*, 57, 1718-1723.
- Wilson, R.S., Mendes de Leon, C.F., Barnes, J.A., Schneider, J.A., Beinias, J.L., Evans, D.A. & Bennett, D.A. (2002). Participation in Cognitively Stimulating Activities and Risk of Incident Alzheimer Disease. *Journal of the American Medical Association*, 287(6), 742-748.

## **Incomplete Bibliography**

### ***IVA***

Glatt, R. Adult Attention-Deficit/Hyperactivity Disorder (ADHD): With Special Attention to Adult Offenders.

Harrison, J.R. & Braytenbah, A.S. The Relationship of Continuous Performance Tests and Teacher Behavior Ratings.

Perman, M. Neurofeedback: Effects of Training Attentional Abilities in Female College Students. Retrieved 10/16/2003 from <http://www.peakachievement.com/articles/Neureka/NeurekaReport.htm>

Sandford, J.A. Proposed Study to Norm an Auditory and Visual Continuous Performance Test.

### ***Cognitive Training***

BrainBuilder. Retrieved 03/15/2003 from [http://www.brainbuilder.com/bb\\_home\\_version.html](http://www.brainbuilder.com/bb_home_version.html).

Galla, M. (1994). The Use of Computer Assisted Cognitive Retraining to Treat Those with Traumatic Head Injuries.

Henderson, R.D. (1992). Effectiveness of Computer Training on Attentional Skills.

Kirby, E.A., Cerny, J. & Olsen, J. (2002). Computer Assisted Cognitive Training for Attention Deficit Hyperactivity Disorder.

Mickey, D.L., Ross, R.A., Stoll, J.L., Chiang, C., Sindberg, H.A. & Dunlop, D.A. (1998). Brain Injury and Cognitive Retraining: The Role of Computer Assisted Learning and Virtual Reality. Presented at the Conference of the International Cognitive Science Society, ???location???

Monastra, V.J., Monastra, D., George, S. Fox, D. & Klehr, C. EEG Biofeedback Treatment for ADHD: A Controlled Clinical Field Study.

PNSA Online. Retrieved from <http://www.pnas.org>

Recent Findings on Memory Issues. PMI Memoryz. Retrieved 12/09/2003  
<http://www.healthandage.net/html/min/memoryzine/content/recent.htm>

Sandford, J.A. (1995-1996). CAPT: Computer Assisted Professional Therapy for Cognitive Rehabilitation is Now a Recognized, Reimbursable Service. *SCR Newsletter*, 3 (2), 9-11.

Steinhardt, M., Montgomery, D., Burns, W., Bat-Ami, M. & DiCowden, M. Cognitive rehabilitation of a 31 year old bitemporal lobectomy patient.

ThinkFast. Retrieved 03/15/2003 from <http://www.toolsforwellness.com/ht100.html>.

A Workout For The Mind: MyBrainTrainer.com Launches As First Online Mental Gymnasium, New Site Blends Fun Exercises & Competitions To Improve Cognitive Function. Retrieved 07/25/2003 from [http://www.mybraintrainer.com/press/index.asp?press\\_id=4](http://www.mybraintrainer.com/press/index.asp?press_id=4).

\\Jaspp\JASPP C\Braintrain Research 2000\TBI\IVA Research BibliographyAngelakis.wpd